

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A method for facilitating collaborative updating of a file, the method comprising:

(a) accepting from one of a plurality of users, and storing, a first data set (i) representing a first version of the file and (ii) designating one or more recipients of the initial version; and

(b) then, for each one of a plurality of sequentially updated versions of the file:

(1) accepting, from one of the plurality of users, a second data set (i) including ~~[[a]] delta data file comprising a delta~~ indicating the difference between the updated version of the file and an immediately previous version of the file for constructing the updated version of the file from the immediately previous version of the file, and (ii) designating one or more recipients of the updated version; and

(2) transmitting a third data set representative of the updated version of the file to at least one of the recipients of the updated version designated by the second data set;

wherein

(c) for each recipient designated by the second data set who accessed the immediately previous version of the file, the third data set includes the delta data file ~~comprising the delta~~ indicating the difference between the updated version of the file and the previous version of the file.

2. (original) The method of claim 1 further comprising, before accepting the first data set: (a) having one of the users originate an original version of the file; and (b) then accepting a plurality of sequentially updated versions of the file prior to the first version.
3. (original) The method of claim 1 wherein for each recipient of the updated version who was not also designated as a recipient of the previous version, the third data set consists substantially of the file as updated.
4. (original) The method of claim 1 further comprising storing the data sets as data files within a hierarchical structure of directories.
5. (original) The method of claim 4 further comprising generating a plausibly unique identification code associated with the file, wherein each directory includes in its name at least a portion of the identification code.
6. (original) The method of claim 5 wherein the identification code includes digits that are of a statistically uniform distribution.
7. (original) The method of claim 4 further comprising, for each one of the plurality of users, generating a plausibly unique identification code associated with the user, wherein each data file includes in its name at least a portion of an identification code associated with one of the plurality of users.

8. (currently amended) The method of claim 1 wherein ~~difference~~ the delta data of the second data set includes data identifying bytes of the versions that differ.

9. (currently amended) The method of claim 1 wherein ~~difference~~ the delta data of the second data set includes data identifying blocks of the versions that differ.

10. (original) The method of claim 1 further comprising: (a) providing a file server accessible to all of the plurality of users; and (b) having the file server accept and transmit the first, second, and third data sets.

11. (original) The method of claim 10 further comprising: (a) providing an e-mail server accessible to all of the plurality of users; and (b) having the e-mail server relay e-mail messages among the plurality of users, wherein the e-mail messages each include a reference by which designated recipients can retrieve a data set from the file server.

12. (original) The method of claim 11 wherein the references are attachments that each contain code implementing a direct file access module.

13. (original) The method of claim 11 wherein the e-mail messages each further include a message-encoded data stream having a series of data frames, the frames comprising: (a) a message recipient frame; (b) a file viewer frame including a header; and (c) a file editor frame including a header; wherein (d) at least one of the viewer and editor frames include (1) for the viewer frame, data identifying a viewer authorized to view

the file and (2) for the editor frame, data identifying an editor authorized to modify the file.

14. (original) The method of claim 10 further comprising storing the data sets as data files within a hierarchical structure of directories.

15. (original) The method of claim 14 further comprising generating a plausibly unique identification code associated with the file, wherein each directory includes in its name at least a portion of the identification code.

16. (original) The method of claim 15 wherein the identification code includes digits that are of a statistically uniform distribution.

17. (original) The method of claim 10 further comprising having the file server store data in a separate file data set for each one of the plurality of users.

18. (original) The method of claim 17 further comprising, for each one of the plurality of users, generating a plausibly unique identification code associated with the user, wherein each file data set includes in its name at least a portion of an identification code associated with one of the plurality of users.

19. (currently amended) A computer-readable data storage medium comprising ~~indicia~~ of executable instructions operative, when executed, to cause ~~for~~ one or more processors to perform a method for facilitating collaborative updating of a file, the

method comprising:

(a) accepting from one of a plurality of users, and storing, a first data set (i) representing a first version of the file and (ii) designating one or more recipients of the initial version; and

(b) then, for each one of a plurality of sequentially updated versions of the file:
(1) accepting, from one of the plurality of users, a second data set

(i) including ~~a delta file comprising a delta~~ data indicating the difference between the updated version of the file and an immediately previous version of the file for constructing the updated version of the file from the immediately previous version of the file, and (ii) designating one or more recipients of the updated version; and

(2) transmitting a third data set representative of the updated version of the file to at least one of the recipients of the updated version designated by the second data set;

wherein

(c) for each recipient designated by the second data set who accessed the immediately previous version of the file, the third data set includes the ~~delta data file comprising the delta~~ data indicating the difference between the updated version of the file and the previous version of the file.

20. (original) The data storage medium of claim 19 wherein the method further comprises, before accepting the first data set, accepting a plurality of sequentially updated versions of the file prior to the first version.

21. (original) The data storage medium of claim 19 wherein for each recipient of the

updated version who was not also designated as a recipient of the previous version, the third data set consists substantially of the file as updated.

22. (original) The data storage medium of claim 19 wherein the method further comprises storing the data sets as data files within a hierarchical structure of directories.

23. (original) The data storage medium of claim 22 wherein the method further comprises generating a plausibly unique identification code associated with the file, wherein each directory includes in its name at least a portion of the identification code.

24. (original) The data storage medium of claim 23 wherein the identification code includes digits that are of a statistically uniform distribution.

25. (original) The data storage medium of claim 22 wherein the method further comprises, for each one of the plurality of users, generating a plausibly unique identification code associated with the user, wherein each data file includes in its name at least a portion of an identification code associated with one of the plurality of users.

26. (currently amended) The data storage medium of claim 19 wherein ~~difference~~ the delta data of the second data set includes data identifying bytes of the versions that differ.

27. (currently amended) The data storage medium of claim 19 wherein ~~difference~~ the delta data of the second data set includes data identifying blocks of the versions that

differ.

28. (original) The data storage medium of claim 19 wherein the method executes on a file server accessible to all of the plurality of users and further comprises having the file server accept and transmit the first, second, and third data sets.

29. (currently amended) A system for facilitating collaborative updating of a file, the system comprising:

(a) means for accepting from one of a plurality of users, and storing, a first data set (i) representing a first version of the file and (ii) designating one or more recipients of the initial version; and

(b) means for, for each one of a plurality of sequentially updated versions of the file:

(1) accepting, from one of the plurality of users, a second data set (i) including ~~a delta file comprising a delta~~ data indicating the difference between the updated version of the file and an immediately previous version of the file for constructing the updated version of the file from the immediately previous version of the file, and (ii) designating one or more recipients of the updated version; and

(2) transmitting a third data set representative of the updated version of the file to at least one of the recipients of the updated version designated by the second data set;

(3) wherein for each recipient designated by the second data set who accessed the immediately previous version of the file, the third data set includes the ~~delta data file comprising the delta~~ data indicating the difference between the updated

Appl. No.: 10/699,065

Amdt. Dated April 17, 2007

Response to Office Action of November 15, 2006

version of the file and the previous version of the file.

30.-36. (canceled)